

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

Issue date: 09/22/2020

Version: 1.0

### SECTION 1: Identification

#### 1.1. Identification

Product form : Mixture  
 Product name : Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Marking.  
 Restrictions on use : No additional information available

#### 1.3. Supplier

LA-CO Industries, Inc.  
 1201 Pratt Boulevard  
 Elk Grove Village, IL. 60007-5746  
 Phone: (847) 956-7600  
 Fax: (847) 956-9885  
 E-mail: [customer\\_service@laco.com](mailto:customer_service@laco.com)

#### 1.4. Emergency telephone number

Emergency number : 24-hour emergency: CHEMTREC- U.S. : 1-800-424-9300 International: +1-703-527-3887;  
 全国应急中心 0532 8388 9090

### SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

##### GHS classification

Flammable liquids, Category 2 H225 Highly flammable liquid and vapour.  
 Skin sensitisation, category 1B H317 May cause an allergic skin reaction.  
 Specific target organ toxicity — Single exposure, Category 3, Narcosis H336 May cause drowsiness or dizziness.  
 Full text of H statements : see section 16

#### 2.2. GHS Label elements, including precautionary statements

##### GHS-US labelling

Hazard pictograms (GHS) :



Signal word (GHS) :

Danger

Hazard statements (GHS US) :

H225 - Highly flammable liquid and vapour.  
 H317 - May cause an allergic skin reaction.  
 H336 - May cause drowsiness or dizziness.

Precautionary statements (GHS) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P233 - Keep container tightly closed.  
 P240 - Ground/bond container and receiving equipment  
 P241 - Use explosion-proof electrical/ventilating/lighting equipment.  
 P242 - Use only non-sparking tools.  
 P243 - Take precautionary measures against static discharge.  
 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.  
 P271 - Use only outdoors or in a well-ventilated area.  
 P272 - Contaminated work clothing must not be allowed out of the workplace.  
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.  
 P302+P352 - If on skin: Wash with plenty of water.  
 P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing.

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

P312 - Call a poison center/doctor if you feel unwell  
P321 - Specific treatment (see supplemental first aid instruction on this label).  
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use media other than water to extinguish.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS\_US)

0.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)

0.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

0.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                                                                                                                        | Product identifier   | % (w/w) | GHS classification                                                    |
|-----------------------------------------------------------------------------------------------------------------------------|----------------------|---------|-----------------------------------------------------------------------|
| 1-Methoxy-2-propanol                                                                                                        | (CAS-No.) 107-98-2   | 20 - 80 | Flam. Liq. 3, H226<br>STOT SE 3, H336                                 |
| ethanol                                                                                                                     | (CAS-No.) 64-17-5    | 10 - 20 | Flam. Liq. 2, H225                                                    |
| Aluminium                                                                                                                   | (CAS-No.) 7429-90-5  | 0 - 10  | Flam. Sol. 1, H228<br>Water-react. 2, H261                            |
| Isopropanol                                                                                                                 | (CAS-No.) 67-63-0    | 1 - <5  | Flam. Liq. 2, H225<br>Eye Irrit. 2A, H319<br>STOT SE 3, H336          |
| Rosin, fumarated, polymer with ethylene glycol and pentaerythritol                                                          | (CAS-No.) 68152-57-8 | 1 - <5  | Eye Irrit. 2A, H319<br>Skin Sens. 1B, H317<br>Aquatic Chronic 4, H413 |
| 4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%) | (CAS-No.) 2786-76-7  | 0 - 5   | Skin Sens. 1, H317                                                    |
| Titanium dioxide                                                                                                            | (CAS-No.) 13463-67-7 | 0 - 5   | Carc. 2, H351                                                         |
| [N,N,N',N'',N''',N''''-hexaethyl-29H,31H-phthalocyaninetrimethylaminato(2-)-N29,N30,N31,N32]copper                          | (CAS-No.) 28654-73-1 | 0 - 1   | Skin Sens. 1B, H317                                                   |

\*Chemical name, CAS number and/or exact concentration have been withheld as a trade secret

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. Get medical advice/attention if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.

First-aid measures after skin contact : Wash skin thoroughly with mild soap and water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : In case of contact, immediately flush eyes with plenty of water.

First-aid measures after ingestion : Do NOT induce vomiting. Get medical advice/attention.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : May cause drowsiness or dizziness.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Carbon dioxide. Dry chemical. Inert gas. Foam. Water spray. Water fog.  
Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard : Highly flammable liquid and vapour. Burning produces irritating, toxic and noxious fumes. Flammable vapours may accumulate in the container. Heavier than air, vapours may travel long distances along ground, ignite and flash back to source.  
Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.  
Reactivity : No dangerous reactions known.

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Do not allow run-off from fire fighting to enter drains or water courses. Eliminate all ignition sources if safe to do so.  
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection. Use self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No open flames. No smoking. Avoid all eye and skin contact and do not breathe vapour and mist.

#### 6.1.1. For non-emergency personnel

Protective equipment : Refer to section 8.2.  
Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Refer to section 8.2.  
Emergency procedures : Stop leak if safe to do so. Ventilate area.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Eliminate all ignition sources. Stop the flow of material, if this is without risk.  
Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Take up in non-combustible absorbent material and shove into container for disposal.

### 6.4. Reference to other sections

Section 13: disposal information. Section 7: safe handling. Section 8: personal protective equipment.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.  
Precautions for safe handling : No open flames. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Avoid all eye and skin contact and do not breathe vapour and mist. Use only outdoors or in a well-ventilated area.  
Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container tightly closed. Keep away from open flames, hot surfaces and sources of ignition.  
Incompatible products : Strong oxidizers.

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

|                               |                                             |
|-------------------------------|---------------------------------------------|
| Incompatible materials        | : Heat sources.                             |
| Heat and ignition sources     | : Keep away from heat, sparks and flame.    |
| Prohibitions on mixed storage | : Keep away from incompatible materials.    |
| Storage area                  | : Store in dry, cool, well-ventilated area. |

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

| 1-Methoxy-2-propanol (107-98-2)                                                 |                                |                                                                                                                                                                                                                                                                                                                                                                   |
|---------------------------------------------------------------------------------|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| ACGIH                                                                           | Local name                     | 1-Methoxy-2-propanol                                                                                                                                                                                                                                                                                                                                              |
| ACGIH                                                                           | ACGIH TWA (mg/m³)              | 369 mg/m³                                                                                                                                                                                                                                                                                                                                                         |
| ACGIH                                                                           | ACGIH TWA (ppm)                | 50 ppm                                                                                                                                                                                                                                                                                                                                                            |
| ACGIH                                                                           | ACGIH STEL (mg/m³)             | 553 mg/m³                                                                                                                                                                                                                                                                                                                                                         |
| ACGIH                                                                           | ACGIH STEL (ppm)               | 100 ppm                                                                                                                                                                                                                                                                                                                                                           |
| ACGIH                                                                           | Remark (ACGIH)                 | Eye irr; CNS impair; A4 (Not classifiable as a Human Carcinogen: Agents which cause concern that they could be carcinogenic for humans but which cannot be assessed conclusively because of a lack of data. In vitro or animal studies do not provide indications of carcinogenicity which are sufficient to classify the agent into one of the other categories) |
| NIOSH                                                                           | NIOSH REL (TWA) (mg/m³)        | 360 mg/m³                                                                                                                                                                                                                                                                                                                                                         |
| NIOSH                                                                           | NIOSH REL (TWA) [ppm]          | 100 ppm                                                                                                                                                                                                                                                                                                                                                           |
| NIOSH                                                                           | NIOSH REL (STEL) (mg/m³)       | 540 mg/m³                                                                                                                                                                                                                                                                                                                                                         |
| NIOSH                                                                           | NIOSH REL (STEL) [ppm]         | 150 ppm                                                                                                                                                                                                                                                                                                                                                           |
| Rosin, fumarated, polymer with ethylene glycol and pentaerythritol (68152-57-8) |                                |                                                                                                                                                                                                                                                                                                                                                                   |
| Not applicable                                                                  |                                |                                                                                                                                                                                                                                                                                                                                                                   |
| Titanium dioxide (13463-67-7)                                                   |                                |                                                                                                                                                                                                                                                                                                                                                                   |
| ACGIH                                                                           | Local name                     | Titanium dioxide                                                                                                                                                                                                                                                                                                                                                  |
| ACGIH                                                                           | ACGIH TWA (mg/m³)              | 10 mg/m³                                                                                                                                                                                                                                                                                                                                                          |
| ACGIH                                                                           | Remark (ACGIH)                 | TLV® Basis: LRT irr. Notations: A4 (Not classifiable as a Human Carcinogen)                                                                                                                                                                                                                                                                                       |
| ACGIH                                                                           | Regulatory reference           | ACGIH 2020                                                                                                                                                                                                                                                                                                                                                        |
| OSHA                                                                            | OSHA PEL (TWA) (mg/m³)         | 15 mg/m³                                                                                                                                                                                                                                                                                                                                                          |
| OSHA                                                                            | Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1                                                                                                                                                                                                                                                                                                                                          |
| ethanol (64-17-5)                                                               |                                |                                                                                                                                                                                                                                                                                                                                                                   |
| ACGIH                                                                           | Local name                     | Ethanol                                                                                                                                                                                                                                                                                                                                                           |
| ACGIH                                                                           | ACGIH TWA (mg/m³)              | 1884 mg/m³                                                                                                                                                                                                                                                                                                                                                        |
| ACGIH                                                                           | ACGIH TWA (ppm)                | 1000 ppm                                                                                                                                                                                                                                                                                                                                                          |
| ACGIH                                                                           | ACGIH STEL (ppm)               | 1000 ppm                                                                                                                                                                                                                                                                                                                                                          |
| ACGIH                                                                           | Remark (ACGIH)                 | TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)                                                                                                                                                                                                                                                                 |
| ACGIH                                                                           | Regulatory reference           | ACGIH 2020                                                                                                                                                                                                                                                                                                                                                        |
| OSHA                                                                            | OSHA PEL (TWA) (mg/m³)         | 1900 mg/m³                                                                                                                                                                                                                                                                                                                                                        |
| OSHA                                                                            | OSHA PEL (TWA) (ppm)           | 1000 ppm                                                                                                                                                                                                                                                                                                                                                          |
| OSHA                                                                            | Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1                                                                                                                                                                                                                                                                                                                                          |
| NIOSH                                                                           | NIOSH REL (TWA) (mg/m³)        | 1900 mg/m³                                                                                                                                                                                                                                                                                                                                                        |

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

|                                                                                                                                                   |                                |                                                                                                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|------------------------------------------------------------------------------------------------------------|
| <b>ethanol (64-17-5)</b>                                                                                                                          |                                |                                                                                                            |
| NIOSH                                                                                                                                             | NIOSH REL (TWA) [ppm]          | 1000 ppm                                                                                                   |
| <b>Isopropanol (67-63-0)</b>                                                                                                                      |                                |                                                                                                            |
| ACGIH                                                                                                                                             | Local name                     | 2-Propanol                                                                                                 |
| ACGIH                                                                                                                                             | ACGIH TWA (mg/m³)              | 490 mg/m³                                                                                                  |
| ACGIH                                                                                                                                             | ACGIH TWA (ppm)                | 200 ppm                                                                                                    |
| ACGIH                                                                                                                                             | ACGIH STEL (mg/m³)             | 960 mg/m³                                                                                                  |
| ACGIH                                                                                                                                             | ACGIH STEL (ppm)               | 400 ppm                                                                                                    |
| ACGIH                                                                                                                                             | Remark (ACGIH)                 | TLV® Basis: Eye & URT irr; CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen); BEI         |
| ACGIH                                                                                                                                             | Regulatory reference           | ACGIH 2020                                                                                                 |
| OSHA                                                                                                                                              | OSHA PEL (TWA) (mg/m³)         | 980 mg/m³                                                                                                  |
| OSHA                                                                                                                                              | OSHA PEL (TWA) (ppm)           | 400 ppm                                                                                                    |
| OSHA                                                                                                                                              | Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1                                                                                   |
| NIOSH                                                                                                                                             | NIOSH REL (TWA) (mg/m³)        | 980 mg/m³                                                                                                  |
| NIOSH                                                                                                                                             | NIOSH REL (TWA) [ppm]          | 400 ppm                                                                                                    |
| NIOSH                                                                                                                                             | NIOSH REL (STEL) (mg/m³)       | 1225 mg/m³                                                                                                 |
| NIOSH                                                                                                                                             | NIOSH REL (STEL) [ppm]         | 500 ppm                                                                                                    |
| <b>4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol &lt;1%) (2786-76-7)</b> |                                |                                                                                                            |
| Not applicable                                                                                                                                    |                                |                                                                                                            |
| <b>[N,N,N',N',N'',N''-hexaethyl-29H,31H-phthalocyaninetrimethylaminato(2-)-N29,N30,N31,N32]copper (28654-73-1)</b>                                |                                |                                                                                                            |
| Not applicable                                                                                                                                    |                                |                                                                                                            |
| <b>Aluminium (7429-90-5)</b>                                                                                                                      |                                |                                                                                                            |
| ACGIH                                                                                                                                             | Local name                     | Aluminum metal and insoluble compounds                                                                     |
| ACGIH                                                                                                                                             | ACGIH TWA (mg/m³)              | 1 mg/m³ (R - Respirable particulate matter)                                                                |
| ACGIH                                                                                                                                             | Remark (ACGIH)                 | TLV® Basis: Pneumoconiosis; LRT irr; neurotoxicity. Notations: A4 (Not classifiable as a Human Carcinogen) |
| ACGIH                                                                                                                                             | Regulatory reference           | ACGIH 2020                                                                                                 |
| OSHA                                                                                                                                              | OSHA PEL (TWA) (mg/m³)         | 15 mg/m³ (Total dust)<br>5 mg/m³ (Respirable fraction)                                                     |
| OSHA                                                                                                                                              | Regulatory reference (US-OSHA) | OSHA Annotated Table Z-1                                                                                   |
| NIOSH                                                                                                                                             | NIOSH REL (TWA) (mg/m³)        | 10 mg/m³                                                                                                   |
| NIOSH                                                                                                                                             | NIOSH REL (ceiling) (mg/m³)    | 5 mg/m³                                                                                                    |
| NIOSH                                                                                                                                             | Remark (NIOSH)                 | (total dust)                                                                                               |

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Provide local exhaust ventilation of closed transfer systems to minimize exposures. Avoid creating mist or spray. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

In case of repeated or prolonged contact wear gloves. Butyl rubber gloves. short term. nitrile rubber gloves

### Eye protection:

Chemical goggles or safety glasses

### Respiratory protection:

None under normal use

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|                                            |                                                 |
|--------------------------------------------|-------------------------------------------------|
| Physical state                             | : Liquid                                        |
| Appearance                                 | : Solid marker containing liquid colored paint. |
| Colour                                     | : Variable                                      |
| Odour                                      | : Solvent                                       |
| Odour threshold                            | : No data available                             |
| pH                                         | : No data available                             |
| Melting point                              | : No data available                             |
| Freezing point                             | : No data available                             |
| Boiling point                              | : 78.3 °C                                       |
| Flash point                                | : 12.2 °C                                       |
| Relative evaporation rate (butylacetate=1) | : < 1                                           |
| Flammability (solid, gas)                  | : Flammable liquid and vapour.                  |
| Vapour pressure                            | : 11.8                                          |
| Relative vapour density at 20 °C           | : No data available                             |
| Relative density                           | : 1 – 1.33                                      |
| Solubility                                 | : insoluble in water.                           |
| Log Pow                                    | : 0.7                                           |
| Auto-ignition temperature                  | : 287 °C                                        |
| Decomposition temperature                  | : No data available                             |
| Viscosity, kinematic                       | : No data available                             |
| Viscosity, dynamic                         | : No data available                             |
| Explosive limits                           | : No data available                             |
| Explosive properties                       | : No data available                             |
| Oxidising properties                       | : No data available                             |

### 9.2. Other information

|             |             |
|-------------|-------------|
| VOC content | : 50 – 60 % |
|-------------|-------------|

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No dangerous reactions known.

### 10.2. Chemical stability

Flammable liquid and vapour.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

Open flame. Overheating. Direct sunlight. Heat. Sparks.

### 10.5. Incompatible materials

Strong oxidizing agents.

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

### 10.6. Hazardous decomposition products

May release flammable gases. Burning produces irritating, toxic and noxious fumes. Carbon oxides (CO, CO<sub>2</sub>).

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
 Acute toxicity (dermal) : Not classified  
 Acute toxicity (inhalation) : Not classified

|                                 |                                                                                                                                                                                                                                                                           |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Unknown acute toxicity (GHS_US) | 0.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)<br>0.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)<br>0.35% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist)) |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

| 1-Methoxy-2-propanol (107-98-2) |                         |
|---------------------------------|-------------------------|
| LD50 oral rat                   | 4016 mg/kg bodyweight   |
| LD50 dermal rat                 | > 2000 mg/kg bodyweight |
| LC50 Inhalation - Rat [ppm]     | > 7000 ppm 6 hr         |
| ATE (oral)                      | 4016 mg/kg bodyweight   |

| Titanium dioxide (13463-67-7) |                |
|-------------------------------|----------------|
| LD50 oral rat                 | > 5000 mg/kg   |
| LC50 Inhalation - Rat         | > 6.82 mg/l/4h |

| ethanol (64-17-5)     |                        |
|-----------------------|------------------------|
| LD50 oral rat         | 10470 mg/kg            |
| LD50 dermal rabbit    | > 20000 mg/kg          |
| LC50 Inhalation - Rat | 133.8 mg/l/4h          |
| ATE (oral)            | 10470 mg/kg bodyweight |
| ATE (vapours)         | 133.8 mg/l/4h          |
| ATE (dust,mist)       | 133.8 mg/l/4h          |

| Isopropanol (67-63-0)       |                        |
|-----------------------------|------------------------|
| LD50 oral rat               | 5840 mg/kg             |
| LD50 dermal rabbit          | 16.4 ml/kg             |
| LC50 Inhalation - Rat [ppm] | > 10000 ppm/4h         |
| ATE (oral)                  | 5840 mg/kg bodyweight  |
| ATE (dermal)                | 16400 mg/kg bodyweight |

| 4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol <1%) (2786-76-7) |                              |
|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------|
| LD50 oral rat                                                                                                                           | > 15000 mg/kg                |
| LC50 Inhalation - Rat                                                                                                                   | > 1580 mg/m <sup>3</sup> 4 h |

| [N,N,N',N',N'',N''-hexaethyl-29H,31H-phthalocyaninetrimethylaminato(2-)-N29,N30,N31,N32]copper (28654-73-1) |               |
|-------------------------------------------------------------------------------------------------------------|---------------|
| LD50 oral rat                                                                                               | > 10000 mg/kg |
| LD50 dermal rat                                                                                             | > 2500 mg/kg  |

| Aluminium (7429-90-5) |               |
|-----------------------|---------------|
| LD50 oral rat         | > 15900 mg/kg |
| LC50 Inhalation - Rat | > 2.3 mg/l/4h |

Skin corrosion/irritation : Not classified  
 Serious eye damage/irritation : Not classified  
 Respiratory or skin sensitisation : May cause an allergic skin reaction.  
 Germ cell mutagenicity : Not classified  
 Carcinogenicity : Not classified.

| Titanium dioxide (13463-67-7)               |                        |
|---------------------------------------------|------------------------|
| NOAEL (chronic, oral, animal/male, 2 years) | 5 mg/kg bodyweight rat |

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

|                                        |                                                 |
|----------------------------------------|-------------------------------------------------|
| <b>Titanium dioxide (13463-67-7)</b>   |                                                 |
| Additional information                 | Carcinogen, cat 1A or 1B<br>Inhalation of dust  |
| IARC group                             | 2B - Possibly carcinogenic to humans            |
| <b>ethanol (64-17-5)</b>               |                                                 |
| IARC group                             | 1 - Carcinogenic to humans, Alcoholic beverages |
| <b>Isopropanol (67-63-0)</b>           |                                                 |
| IARC group                             | 3 - Not classifiable                            |
| Reproductive toxicity                  | : Not classified                                |
| STOT-single exposure                   | : May cause drowsiness or dizziness.            |
| <b>1-Methoxy-2-propanol (107-98-2)</b> |                                                 |
| STOT-single exposure                   | May cause drowsiness or dizziness.              |
| <b>Isopropanol (67-63-0)</b>           |                                                 |
| STOT-single exposure                   | May cause drowsiness or dizziness.              |
| STOT-repeated exposure                 | : Not classified                                |
| Aspiration hazard                      | : Not classified                                |
| Viscosity, kinematic                   | : No data available                             |
| Likely routes of exposure              | : Inhalation. Skin and eye contact.             |
| Symptoms/effects after inhalation      | : May cause drowsiness or dizziness.            |
| Symptoms/effects after skin contact    | : May cause an allergic skin reaction.          |

## SECTION 12: Ecological information

### 12.1. Toxicity

|                                                                                                                                                   |                                                                                           |
|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|
| <b>1-Methoxy-2-propanol (107-98-2)</b>                                                                                                            |                                                                                           |
| LC50 fish 1                                                                                                                                       | 20800 mg/l                                                                                |
| EC50 crustacea                                                                                                                                    | 23300 mg/l                                                                                |
| ErC50 (algae)                                                                                                                                     | > 1000 mg/l                                                                               |
| <b>ethanol (64-17-5)</b>                                                                                                                          |                                                                                           |
| LC50 fish 1                                                                                                                                       | 14200 mg/l                                                                                |
| EC50 crustacea                                                                                                                                    | 5012 mg/l                                                                                 |
| <b>Isopropanol (67-63-0)</b>                                                                                                                      |                                                                                           |
| LC50 fish 1                                                                                                                                       | 10000 mg/l                                                                                |
| <b>4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol &lt;1%) (2786-76-7)</b> |                                                                                           |
| LC50 fish 1                                                                                                                                       | > 500 mg/l 96 h                                                                           |
| EC50 crustacea                                                                                                                                    | > 110 mg/l 48 h                                                                           |
| <b>[N,N,N',N',N'',N''-hexaethyl-29H,31H-phthalocyaninetrimethylaminato(2-)-N29,N30,N31,N32]copper (28654-73-1)</b>                                |                                                                                           |
| LC50 fish 1                                                                                                                                       | > 146 mg/l 96 h                                                                           |
| EC50 crustacea                                                                                                                                    | > 100 mg/l 48 h                                                                           |
| <b>Aluminium (7429-90-5)</b>                                                                                                                      |                                                                                           |
| LC50 fish 1                                                                                                                                       | 218.64 mg/l ASTM 2000; test material: aluminium chloride hexahydrate; Pimephales promelas |
| EC50 crustacea                                                                                                                                    | 1.4 mg/l OECD Guideline 202; test material: Aluminium hydroxide                           |
| LOEC (acute)                                                                                                                                      | ≈ 72.89 mg/l                                                                              |
| NOEC (acute)                                                                                                                                      | ≈ 37.2 mg/l                                                                               |

### 12.2. Persistence and degradability

|                                                                                                                                             |                  |
|---------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <b>Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold</b> |                  |
| Persistence and degradability                                                                                                               | Not established. |



# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

|                                                                                                                                                   |                            |
|---------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------|
| <b>1-Methoxy-2-propanol (107-98-2)</b>                                                                                                            |                            |
| Persistence and degradability                                                                                                                     | Readily biodegradable.     |
| Biodegradation                                                                                                                                    | 96 % 28 d                  |
| <b>ethanol (64-17-5)</b>                                                                                                                          |                            |
| Biodegradation                                                                                                                                    | > 96 % 28 d                |
| <b>Isopropanol (67-63-0)</b>                                                                                                                      |                            |
| Persistence and degradability                                                                                                                     | Readily biodegradable.     |
| <b>4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol &lt;1%) (2786-76-7)</b> |                            |
| Persistence and degradability                                                                                                                     | Not readily biodegradable. |
| Biodegradation                                                                                                                                    | 0 % 28 d                   |

### 12.3. Bioaccumulative potential

|                                                                                                                                                   |                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------|
| <b>Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold</b>       |                                |
| Log Pow                                                                                                                                           | 0.7                            |
| Bioaccumulative potential                                                                                                                         | Not established.               |
| <b>1-Methoxy-2-propanol (107-98-2)</b>                                                                                                            |                                |
| Bioaccumulative potential                                                                                                                         | Not expected to bioaccumulate. |
| <b>ethanol (64-17-5)</b>                                                                                                                          |                                |
| Bioaccumulative potential                                                                                                                         | Not expected to bioaccumulate. |
| <b>Isopropanol (67-63-0)</b>                                                                                                                      |                                |
| Bioaccumulative potential                                                                                                                         | Not expected to bioaccumulate. |
| <b>4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol &lt;1%) (2786-76-7)</b> |                                |
| BCF fish 1                                                                                                                                        | 53 l/kg                        |
| Log Pow                                                                                                                                           | 1.28                           |

### 12.4. Mobility in soil

|                                                                                                                                             |                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold</b> |                                      |
| Ecology - soil                                                                                                                              | No additional information available. |

### 12.5. Other adverse effects

Other information : No additional information available.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Sewage disposal recommendations : Do not dispose of waste into sewer.  
Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.  
Additional information : Handle empty containers with care because residual vapours are flammable.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1263 Paint (including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base), 3, II

UN-No.(DOT) : UN1263

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

|                                  |                                                                                                                                |
|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Proper Shipping Name (DOT)       | : Paint<br>including paint, lacquer, enamel, stain, shellac solutions, varnish, polish, liquid filler, and liquid lacquer base |
| Transport hazard class(es) (DOT) | : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120                                                                |
| Packing group (DOT)              | : II - Medium Danger                                                                                                           |
| Hazard labels (DOT)              | : 3 - Flammable liquid                                                                                                         |



Other information :No supplementary information available

### Transportation of Dangerous Goods

|                                                          |                                   |
|----------------------------------------------------------|-----------------------------------|
| Transport document description                           | : UN 1263 PAINT, 3, II            |
| UN-No. (TDG)                                             | : UN 1263                         |
| Proper Shipping Name (Transportation of Dangerous Goods) | : PAINT                           |
| Primary Hazard Classes                                   | : 3 - Class 3 - Flammable Liquids |
| Packing group                                            | : II - Medium Danger              |

### Transport by sea

|                                       |                                            |
|---------------------------------------|--------------------------------------------|
| Transport document description (IMDG) | : UN 1263 PAINT, 3, II                     |
| UN-No. (IMDG)                         | : 1263                                     |
| Proper Shipping Name (IMDG)           | : PAINT                                    |
| Class (IMDG)                          | : 3 - Flammable liquids                    |
| Packing group (IMDG)                  | : II - substances presenting medium danger |
| Limited quantities (IMDG)             | : 5 L                                      |

### Air transport

|                                       |                         |
|---------------------------------------|-------------------------|
| Transport document description (IATA) | : UN 1263 PAINT, 3, II  |
| UN-No. (IATA)                         | : 1263                  |
| Proper Shipping Name (IATA)           | : PAINT                 |
| Class (IATA)                          | : 3 - Flammable Liquids |
| Packing group (IATA)                  | : II - Medium Danger    |

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

#### Isopropanol (67-63-0)

Subject to reporting requirements of United States SARA Section 313

|                                     |             |
|-------------------------------------|-------------|
| SARA Section 311/312 Hazard Classes | Fire hazard |
|-------------------------------------|-------------|

#### Aluminium (7429-90-5)

Subject to reporting requirements of United States SARA Section 313

### 15.2. International regulations

#### CANADA

#### 1-Methoxy-2-propanol (107-98-2)

Listed on the Canadian DSL (Domestic Substances List) inventory.

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

|                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Rosin, fumarated, polymer with ethylene glycol and pentaerythritol (68152-57-8)</b>                                                            |
| Listed on the Canadian DSL (Domestic Substances List) inventory.                                                                                  |
| <b>Titanium dioxide (13463-67-7)</b>                                                                                                              |
| Listed on the Canadian DSL (Domestic Substances List) inventory.                                                                                  |
| <b>ethanol (64-17-5)</b>                                                                                                                          |
| Listed on the Canadian DSL (Domestic Substances List) inventory.                                                                                  |
| <b>Isopropanol (67-63-0)</b>                                                                                                                      |
| Listed on the Canadian DSL (Domestic Substances List) inventory.                                                                                  |
| <b>4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol &lt;1%) (2786-76-7)</b> |
| Listed on the Canadian DSL (Domestic Substances List) inventory.                                                                                  |
| <b>[N,N,N',N',N'',N''-hexaethyl-29H,31H-phthalocyaninetrimethylaminato(2-)-N29,N30,N31,N32]copper (28654-73-1)</b>                                |
| Listed on the Canadian DSL (Domestic Substances List) inventory.                                                                                  |
| <b>Aluminium (7429-90-5)</b>                                                                                                                      |
| Listed on the Canadian DSL (Domestic Substances List) inventory.                                                                                  |

### EU-Regulations

|                                                                                                                                                   |
|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>1-Methoxy-2-propanol (107-98-2)</b>                                                                                                            |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)                                                |
| <b>Rosin, fumarated, polymer with ethylene glycol and pentaerythritol (68152-57-8)</b>                                                            |
| Listed on ELINCS (European List of Notified Chemical Substances)                                                                                  |
| <b>Titanium dioxide (13463-67-7)</b>                                                                                                              |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)                                                |
| <b>Isopropanol (67-63-0)</b>                                                                                                                      |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)                                                |
| <b>4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol &lt;1%) (2786-76-7)</b> |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)                                                |
| <b>[N,N,N',N',N'',N''-hexaethyl-29H,31H-phthalocyaninetrimethylaminato(2-)-N29,N30,N31,N32]copper (28654-73-1)</b>                                |
| Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)                                                |

### National regulations

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold</b>                                                                                                                                                                                                                                                                                                                                                              |
| All ingredients are listed on the Canadian Domestic Substances List (DSL) or Non-Domestic Substances List (NDSL).                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>1-Methoxy-2-propanol (107-98-2)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on Taiwan National Chemical Inventory<br>Listed on the AICS (Australian Inventory of Chemical Substances)<br>Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory)         |
| <b>Rosin, fumarated, polymer with ethylene glycol and pentaerythritol (68152-57-8)</b>                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on Taiwan National Chemical Inventory<br>Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory<br>Not listed on Philippines Inventory of Chemicals and Chemical Substances (PICCS)<br>Not listed on the AICS (Australian Inventory of Chemical Substances)<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory) |

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Titanium dioxide (13463-67-7)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  |
| Listed on IARC (International Agency for Research on Cancer)<br>Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed on Taiwan National Chemical Inventory<br>Listed on the AICS (Australian Inventory of Chemical Substances)<br>Listed on the TCSI (Taiwan Chemical Substance Inventory)<br>Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory<br>Listed on the Japanese ISHL (Industrial Safety and Health Law)<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory) |  |
| <b>ethanol (64-17-5)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  |
| Listed on IARC (International Agency for Research on Cancer)<br>Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)<br>Listed on the Chinese Catalog of Hazardous Chemicals.<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on Taiwan National Chemical Inventory<br>Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed on the AICS (Australian Inventory of Chemical Substances)<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory)                                                                                                                                                    |  |
| <b>Isopropanol (67-63-0)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  |
| Listed on the AICS (Australian Inventory of Chemical Substances)<br>Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC).<br>Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory<br>Listed on Taiwan National Chemical Inventory<br>Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory)                                                                                                                                                                                          |  |
| <b>4-[[4-(aminocarbonyl)phenyl]azo]-N-(2-ethoxyphenyl)-3-hydroxynaphthalene-2-carboxamide, C.I. Pigment Red 170 (naphthol &lt;1%) (2786-76-7)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  |
| Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on the AICS (Australian Inventory of Chemical Substances)<br>Listed on Taiwan National Chemical Inventory<br>Listed on the Inventory of Existing Chemical Substances Produced or Imported in China (IECSC).<br>Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory)                                                                                                                                                                                          |  |
| <b>[N,N,N',N',N'',N''-hexaethyl-29H,31H-phthalocyaninetrimethylaminato(2-)-N29,N30,N31,N32]copper (28654-73-1)</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |
| Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)<br>Listed on IECSC (Inventory of Existing Chemical Substances Produced or Imported in China)<br>Listed on NZIoC (New Zealand Inventory of Chemicals)<br>Listed on Taiwan National Chemical Inventory<br>Listed on the AICS (Australian Inventory of Chemical Substances)<br>Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory<br>Listed on KECL/KECI (Korean Existing Chemicals Inventory)                                                                                                                                                                                               |  |

### 15.3. US State regulations

|                                                                                                                                             |                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold</b> |                                                                                                                        |
| State or local regulations                                                                                                                  | The titanium dioxide in this product is bound and is not respirable.<br>California Prop. 65 warnings are not required. |

| Component                      | State or local regulations                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|--------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1-Methoxy-2-propanol(107-98-2) | U.S. - Idaho - Occupational Exposure Limits - Ceilings; U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs); U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - Minnesota - Hazardous Substance List; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York - Right to Know List of Hazardous Chemicals; U.S. - Washington - Permissible Exposure Limits - STELs; U.S. - Washington - Permissible Exposure Limits - TWAs |
| Titanium dioxide(13463-67-7)   | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania -                                                                                                                                                                                                                                                                                                                                                                                                                                     |

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

| Component            | State or local regulations                                                                                                                                                                                                                                                            |
|----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                      | RTK (Right to Know) List                                                                                                                                                                                                                                                              |
| ethanol(64-17-5)     | U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances; U.S. - Pennsylvania - RTK (Right to Know) List |
| Isopropanol(67-63-0) | U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances                                                 |
| Aluminium(7429-90-5) | U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities; U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations; U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List      |

### SECTION 16: Other information

Data sources : ACGIH (American Conference of Government Industrial Hygienists). European Chemicals Agency (ECHA) C&L Inventory database. Accessed at <http://echa.europa.eu/web/guest/information-on-chemicals/cl-inventory-database>. Krister Forsberg and S.Z. Mansdorf, "Quick Selection Guide to Chemical Protective Clothing", Fifth Edition. National Fire Protection Association. Fire Protection Guide to Hazardous Materials; 10th edition. OSHA 29CFR 1910.1200 Hazard Communication Standard. TSCA Chemical Substance Inventory. Accessed at <http://www.epa.gov/oppt/existingchemicals/pubs/tscainventory/howto.html>.

Other information : None.

Full text of H-statements:

|      |                                                         |
|------|---------------------------------------------------------|
| H225 | Highly flammable liquid and vapour.                     |
| H226 | Flammable liquid and vapour.                            |
| H228 | Flammable solid.                                        |
| H261 | In contact with water releases flammable gases.         |
| H317 | May cause an allergic skin reaction.                    |
| H319 | Causes serious eye irritation.                          |
| H336 | May cause drowsiness or dizziness.                      |
| H351 | Suspected of causing cancer.                            |
| H413 | May cause long lasting harmful effects to aquatic life. |

Abbreviations and acronyms:


|  |                                                                                             |
|--|---------------------------------------------------------------------------------------------|
|  | ATE: Acute Toxicity Estimate                                                                |
|  | CAS (Chemical Abstracts Service) number                                                     |
|  | CLP: Classification, Labelling, Packaging.                                                  |
|  | EC50: Environmental Concentration associated with a response by 50% of the test population. |
|  | GHS: Globally Harmonized System (of Classification and Labeling of Chemicals).              |
|  | LD50: Lethal Dose for 50% of the test population                                            |
|  | OSHA: Occupational Safety & Health Administration                                           |
|  | PBT: Persistent, Bioaccumulative, Toxic                                                     |
|  | TWA: Time Weighted Average                                                                  |
|  | TSCA: Toxic Substances Control Act                                                          |

# Paint-Riter™ Valve Action Paint Marker White, Yellow, Red, Blue, Green, Orange, Aluminum, Pink, Light Blue, Light Green, Brown, Gold

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations, Canada Hazardous Products Regulations (HPR) / Règlement sur les produits dangereux (RPD)

|                    |                                                                                                                                           |
|--------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| NFPA health hazard | : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.                                  |
| NFPA fire hazard   | : 3 - Liquids and solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions. |
| NFPA reactivity    | : 0 - Normally stable, even under fire exposure conditions, and not reactive with water.                                                  |



**SDS Prepared by:** The Redstone Group, dba SafeBridge Consultants, Inc.  
110 Polaris Pkwy  
Suite 200  
Westerville, OH USA 43082  
P: +1 (614) 923-7472  
[www.redstonegrp.com](http://www.redstonegrp.com)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*