

ASIMETO[®]

Distributed By:




Tool+Cutter

www.toolandcutter.com



MEASURE TWICE. SPEND ONCE.



- ✓ More Accurate
- ✓ Longer Life
- ✓ Better Price

SAVE 25%
WHEN YOU CHOOSE ASIMETO

*We reserve the right to make pricing changes or impose purchase restrictions at any time.
Shipping charges apply & will be noted on invoice. All taxes extra.*

Promo expires March 31, 2026 - While quantities last

SAVE 25% WHEN YOU CHOOSE **ASIMETO**

ASIMETO

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Outside Micrometers & Sets



Ratchet Thimble



Range	Graduation	Accuracy	Thimble Type	Code No.	List Price	SALE \$
0-1"	0.0001"	±0.0001"	Ratchet	7101013	58.87	37.48
1-2"	0.0001"	±0.0002"	Ratchet	7101023	65.80	42.11
4-5"	0.0001"	±0.00015"	Ratchet	7101053	104.02	66.57
6-7"	0.0001"	±0.0002"	Ratchet	7101073	138.51	88.65

Range	Grad.	Notes	Code No.	List Price	SALE \$
0-3" (3pc)	0.0001"	0-1"+1-2" Friction 2-3" Ratchet	7101637	176.99	113.27

Micrometer Stand

Notes	Code No.	List Price	SALE \$
Painted Cast Iron Base	7109021	56.88	36.40



Micrometer Standards

Size	Accuracy	Diameter	Code No.	List Price	SALE \$
1"	±0.00005"	0.276"	7110011	9.33	5.97
2"	±0.0001"	0.276"	7110021	11.51	7.37
3"	±0.0001"	0.276"	7110031	12.96	8.29
9"	±0.00020"	0.315"	7110091	32.38	20.72
10"	±0.00020"	0.315"	7110101	36.90	23.62
21"	±0.00030"	0.630"	7110211	110.86	70.95



Anvils



T.P.I.	Pitch (in./mm)	Code No.	List Price	SALE \$
64-48 (M1)	0.016-0.019"/0.4-0.5mm	7130610	35.44	22.68
13-9 (M4)	0.079-0.118"/2.0-3.0mm	7130640	35.44	22.68
8-5 (M5)	0.138-0.196"/3.5-5.0mm	7130650	35.44	22.68

Inside Micrometers



Mechanical

1" and over

Range	Grad	Accuracy	Code No.	List Price	SALE \$
0.2-1.18"	0.001	±0.0001"	7203011	161.60	103.42
3-4"	0.001	±0.0002"	7203041	223.16	142.82

Interchangeable Anvil Micrometers

Range	Grad.	Accuracy	Code No.	List Price	SALE \$
16-20"	0.001"	± 0.0005"	7111201	836.60	535.42
20-24"	0.001"	± 0.0006"	7111241	1,289.53	825.30
28-32"	0.001"	± 0.0007"	7111321	1,877.70	1,201.73



Digital Outside Micrometers with SPC Output & Set



Range	Inch Resolution	Accuracy	Range	Metric Resolution	Accuracy	Code No.	List Price	SALE \$
0-1	0.00005"	0.0001"	0-25	0.001mm	0.002mm	7105015	296.26	189.61
1-2	0.00005"	0.0002"	25-50	0.001mm	0.002mm	7105025	299.99	191.99
2-3	0.00005"	0.0002"	50-75	0.001mm	0.003mm	7105035	397.58	254.45
3-4	0.00005"	0.0002"	75-100	0.001mm	0.003mm	7105045	432.20	276.61

Sets

0-3	0.00005"		0-75	0.001mm		7105639	929.81	595.08
-----	----------	--	------	---------	--	---------	--------	--------

Economic Digital Outside Micrometers



Range	Resolution	Accuracy	Code No.	List Price	SALE \$
1-2"/25-50mm	0.00005" / 0.001mm	±0.00016" / 0.004mm	7116021	197.51	126.41

Digital Blade Micrometers



Range	Resolution	Accuracy	Blade Dimensions Depth x Length	Code No.	List Price	SALE \$
1-2" / 25-50mm	0.00005" / 0.001mm	±0.0002"	0.030" x 0.250"	7117021	793.87	508.08
2-3" / 50-75mm	0.00005" / 0.001mm	±0.0002"	0.030" x 0.250"	7117031	739.68	473.40

Digital Screw Thread Micrometers



Range (in.)	Inch Res	Accuracy	Range (mm)	Metric Res	Accuracy	Code No.	List Price	SALE \$
0-1"	0.00005"	±0.0001"	0-25	0.001mm	±0.004mm	7136011	520.70	333.25

Digital

IP65 Coolant Proof and ABS Absolute Function



Range ("/mm)	Res ("/mm)	Accuracy	Code No.	List Price	SALE \$
0.2-1.2 / 5-30	0.00005 / 0.001	±0.0001"	7207011	633.56	405.48

Digital Disc Micrometers — Non-Rotating Spindle



Range	Accuracy	Code No.	List Price	SALE \$
0-1" / 0-25mm	±0.0001"	7145011	618.22	395.66
1-2" / 25-50mm	±0.0002"	7145021	676.74	433.11
2-3" / 50-75mm	±0.0002"	7145031	752.88	481.84



Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.


Depth Micrometers



Range	Res/Grad	Accuracy	Thimble Grad.	Base Length	No. of Rods	Digital, IP65 & ABS	Code No.	List Price	SALE \$
0-6"	0.00005"	±0.0002"	0.0001"	4.0"	6	✓	7205063	726.43	464.92

Depth Micrometers

Range	Grad.	Accuracy	Base Length	Code No.	List Price	SALE \$
0-4"	0.001"	+0.0002"	2.5"	7201041	239.99	153.59
0-4"	0.001"	+0.0002"	4.0"	7201043	256.50	164.16
0-6"	0.001"	+0.0002"	4.0"	7201063	311.65	199.46



Inside Micrometer — Interchangeable Rod Type



Range	Head Travel	Grad	Spacing Collar	Rod Dia.	Code No.	List Price	SALE \$
1-2"	0.25"	0.001"	0.250"	0.248"	7242021	335.70	214.85

Two & Three Point Internal Micrometers

Mechanical



Range	Grad ("/mm)	Accuracy	Code No.	List Price	SALE \$
0.5 - 0.65"	0.0002"	±0.00016"	7209241	546.35	349.66
0.8 - 1.0"	0.0002"	±0.00016"	7209261	768.22	491.66
1.2 - 1.6"	0.0002"	±0.00016"	7209281	827.21	529.41
2.5 - 3.0"	0.0002"	±0.0002"	7209311	1,083.71	693.57
3.0 - 3.5"	0.0002"	±0.0002"	7209321	1,132.45	724.77
3.5 - 4.0"	0.0002"	±0.0002"	7209331	1,178.62	754.32

Digital

IP65 Coolant Proof and ABS Absolute Function



Range	Res ("/mm)	Accuracy	Code No.	List Price	SALE \$
1.2 - 1.6"	0.00005 / 0.001	±0.00016"	7208281	1,370.99	877.43
2.5 - 3.0"	0.00005 / 0.001	±0.0002"	7208311	1,565.93	1,002.20

Digital Depth Calipers – ABS



Range	Resolution	Accuracy	Code No.	List Price	SALE \$
0-6" / 0-150mm	0.0005" / 0.01mm	±0.001"	7327067	138.51	88.65
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015"	7327127	402.71	257.73

Digital Tire Depth Gauge



Range	Resolution	Accuracy	Base Length	Code No.	List Price	SALE \$
0-1.2" / 0-30mm	0.0005" / 0.01mm	±0.0015" / 0.03mm	60mm	7321010	147.49	94.39

Statistical Process Control Equipment

Used For	Code No.	List Price	SALE \$
ABS Digital Calipers, Digital Micrometers, Heavy Duty Digital Calipers	7901001	169.26	108.33

Used For	Code No.	List Price	SALE \$
IP65 Digital Indicators	7901002	169.26	108.33

Diecast Aluminum

Range	Graduation	Range per Rev	Accuracy	Code No.	List Price	SALE \$
0-6"	0.001"	0.100"	±0.001"	7304065	146.73	93.91
0-12"	0.001"	0.100"	±0.0015"	7304125	333.38	213.36

IP67 Coolant Proof

Range ("/mm)	Res ("/mm)	Accuracy	IP67 Coolant Proof	Code No.	List Price	SALE \$
0-8 / 0-200	0.0005 / 0.01	±0.0015"	✓	7305082	317.60	203.26

ABS & IP67 Coolant Proof

Range ("/mm)	Res ("/mm)	Accuracy	IP67	Lg Display	ABS	Code No.	List Price	SALE \$
0-6 / 0-150	0.0005 / 0.01	±0.001"	✓	✓		7307065	89.40	57.22
0-8 / 0-200	0.0005 / 0.01	±0.0015"	✓	✓	✓	7305085	399.10	255.42

SAVE 25% WHEN YOU CHOOSE **ASIMETO**

ASIMETO[®]

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Heavy Duty Vernier Calipers	Range ("/mm)	Graduation ("/mm)	Accuracy	Jaw Depth	Code No.	List Price	SALE \$
	0-12 / 0-300	0.001 / 0.02	±0.0015"	75mm	7311121	259.99	166.39
	0-40 / 0-1000	0.001 / 0.02	±0.003"	150mm	7311401	1,174.73	751.83

Adj. Jaw & Extended Range	Range ("/mm)	Res ("/mm)	Accuracy	IP67	ABS	Adj Jaw	Code No.	List Price	SALE \$
	0-6 / 0-150	0.0005 / 0.01	±0.0015"			✓ Jaw Length 110mm	7317060	354.73	227.03
	0-12 / 0-300	0.0005 / 0.01	±0.0020"			✓ Jaw Length 130mm	7317120	627.89	401.85
	0-40 / 0-1000	0.0005 / 0.01	±0.10mm		✓	✓	✓ Jaw Length 150mm	7315406	2,023.79

Bore Gauges

Range	Resolution/Graduation	No. Anvils	No. Spacers	No. Sub-Anvils	Probe Depth	Digital/Dial	Code No.	List Price	SALE \$
1.4"-2.4"	0.0001" / 0.01mm	6 pcs	4	-	6"	Dial	7483221	269.99	172.79



Indicators

Range	Grad	Dial Reading	Range per Rev	Stem Dia.	Type	Code No.	List Price	SALE \$
0-0.05"	0.0001"	0-50-0	0.01"	3/8	Lug Back	7402013	140.46	89.89
0-0.05"	0.0001"	10-0	0.01"	3/8	Lug Back	7402011	140.46	89.89
0-0.05"	0.0001"	0-5-0	0.01"	3/8	Lug Back	7402015	176.61	113.03
0-0.25"	0.001"	0-100	0.1"	3/8	Lug Back	7402061	56.05	35.87
0-0.5"	0.001"	0-50-0	0.1"	3/8	Lug Back	7402123	67.53	43.22



Range ("/mm)	Res ("/mm)	Accuracy ("/mm)	Type	IP65	ABS	Code No.	List Price	SALE \$
0-0.5 / 0-12.5	0.0005 / 0.01	±0.0008 / ±0.02	Flat Back attached, Lug Back supplied		✓	7405951	194.94	124.76
0-1 / 0-25	0.0005 / 0.01	±0.0012 / ±0.03	Flat Back attached, Lug Back supplied		✓	7405011	212.90	136.26
0-1 / 0-25	0.0005 / 0.01	±0.0012 / ±0.02	Flat Back attached, Lug Back supplied	✓	✓	7407023	202.84	129.82
0-2 / 0-50	0.0005 / 0.01	±0.0012 / ±0.02	Flat Back attached, Lug Back supplied	✓	✓	7407033	697.68	446.52



Extended Range/Pocket Dial Test Indicator Sets

Range	Grad	Accuracy	Code No.	List Price	SALE \$
0.060"	0.0005"	±0.0012"	7504811	304.23	194.71
0.060"	0.0005"	±0.0012"	7504813	296.03	189.46
0.060"	0.001"	±0.0012"	7504815	283.73	181.59
0.060"	0.0005"	±0.0012"	7504821	298.21	190.85



Extended Range/Pocket Dial Test Indicators

Range	Grad	Dial Reading	Accuracy	Code No.	List Price	SALE \$
0.060"	0.001"	0-15-0	±0.0012"	7503061	254.94	163.16
0.060"	0.0005"	0-15-0	±0.0012"	7504563	228.41	146.18



Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Dial Test Indicator Sets



Basic Accessories Included:

Stem Diameter – Metric Ø8mm
Stem Diameter – Inch Ø3/8"
Ruby Contact Point Diameter – Ø2mm
Wrench

Full Set Accessories Included:

Asimeto Basic Accessories plus, Stem Diameter Metric Ø4mm, Stem Diameter Inch Ø0.157", Carbide Tipped Point Diameter Ø2mm, Steel Point Diameter Ø1mm
Swivel Clamp – Metric for Ø4mm & Ø8mm Diameters
Swivel Clamp – Inch for Ø3/8" & Ø 0.157" Diameters
Holding Bar – Metric 9 x 9 x 100mm
Holding Bar – Inch 0.25" x 0.5" x 4"

Range	Grad	Dial Reading	Accuracy	Type	Code No.	List Price	SALE \$
0.008"	0.0001"	0-4-0	±0.0001"	Vertical	7501785	175.70	112.45
0.03"	0.0005"	0-15-0	±0.0005"	Vertical	7501735	133.07	85.16
0.008"	0.0001"	0-4-0	±0.0001"	Horizontal	7501787	185.96	119.01
0.03"	0.0005"	0-15-0	±0.0005"	Horizontal	7501738	227.32	145.48

Test Indicator Points



Ball Dia.	Tip Length	Ind. Range/Resolution	Code No.	List Price	SALE \$
Carbide Ball					
2mm	16.2mm	0.03"/0.0005"	7500622	11.88	7.60
3mm	16.7mm	0.03"/0.0005"	7500632	15.17	9.71
3mm	16.7mm	0.008"/0.0001"	7500732	15.17	9.71

Ball Dia.	Tip Length	Ind. Range/Resolution	Code No.	List Price	SALE \$
Steel Ball					
1mm	15.9mm	0.03"/0.0005"	7500611	11.60	7.42
2mm	16.2mm	0.03"/0.0005"	7500621	5.80	3.71
3mm	16.7mm	0.03"/0.0005"	7500631	5.80	3.71
3mm	16.7mm	0.008"/0.0001"	7500731	5.80	3.71
1mm	21.3mm	0.06"/0.0005"	7500811	5.54	3.55
3mm	22.3mm	0.06"/0.0005"	7500831	5.80	3.71

Indicator Holders & Bases



Magnetic Power	Magnetic Base (L x W x H)	Female Thread	Code No.	List Price	SALE \$
60 kg	60 x 50 x 55mm	M8	7600011	54.24	34.71



Pull Action	Main Body	Main Stem Length	Code No.	List Price	SALE \$	
	17 kg	Ø30 x 25mm	85mm	7601120	78.75	50.40



Pull Action	Base (L x W x H)	Post/Arm Dimensions	On/Off Switch	Fine Adj	Code No.	List Price	SALE \$	
	80 kg	60 x 50 x 55mm	Total Height: 310mm Post: 124mm Arm: 101mm Top: 85mm	✓	✓	7602021	199.99	127.99



Pull Action	On/Off Switch	Code No.	List Price	SALE \$
132 lbf	✓	7601011	39.99	25.59

Height Gauges – Single & Double Beams

Range	Res/Grad	Accuracy	No of Beams	Digital/Dial	Code No.	List Price	SALE \$
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015" / 0.04mm	Single	Digital	7626120	896.47	573.74
0-24" / 0-600mm	0.0005" / 0.01mm	±0.0020" / 0.05mm	Single	Digital	7626240	1,329.95	851.17
0-12" / 0-300mm	0.0005" / 0.01mm	±0.0015"	Single	Digital	7625120	725.90	464.58
0-24" / 0-600mm	0.0005" / 0.01mm	±0.0020"	Single	Digital	7625240	1,320.98	845.43

Range	Res/Grad	Accuracy	No of Beams	Digital/Dial	Code No.	List Price	SALE \$
0-18" / 0-450mm	0.001" / 0.01mm	±0.0015" / 0.04mm	Double	Digital	7627180	1,416.35	906.46



SAVE 25% WHEN YOU CHOOSE ASIMETO

ASIMETO®

Pricing valid **Feb 4 - Mar 31, 2026**, while quantities last.

Radius Gauges



Range	No. of Leaves	Code No.	List Price	SALE \$
1/32-17/64 x 64ths, 90° arc	16	7605401	33.65	21.54

Pocket Rules



Size	Clip	Code No.	List Price	SALE \$
6"	✓	7606009	4.31	2.76

Screw Pitch Gauges

Range	No. of Leaves	Composition of Leaves	Code No.	List Price	SALE \$
Metric & TPI 60°	0.4-7mm 4-42 TPI	51	Composition of Leaves 7605520 and 7605502	7605508	35.68 22.84



Squares & Square Sets

Blade Length (in.)	Code No.	List Price	SALE \$
Set of 3 squares with 1-1/2" triangular straight edge with handle and case. 2-15/16", 1-9/16", 1"	7606670	262.68	168.12
6" x 4" 150 x 100mm	7639240	146.81	93.96
8" x 5" 200 x 130mm	7639250	188.21	120.45

Matched Pair Steel Parallel Sets

Pairs	Width	Range	Code No.	List Price	SALE \$
8	1/2"	7/8" to 1-3/4"	7607080	285.71	182.85
9	1/4"	3/4" to 1-3/4"	7607090	270.43	173.08
10	1/8"	1/2" to 1-5/8"	7607100	171.40	109.70
10	1/32"	1/2" to 1-5/8"	7607101	128.21	82.05



Digital Protractors — Level Type

Range	Res	Accuracy	Code No.	List Price	SALE \$
360°	0.1°	±0.1°	7490160	258.45	165.41



Telescoping Gauges & Set

Range	Depth	Model	Code No.	List Price	SALE \$
Set of 6 - 0.315"-5.90"		A, B, C, D, E, F	7487869	68.74	43.99
1.26"-2.126"	5.85"	D	7487041	17.79	11.39
0.315"-0.500"	12"		7487013	19.37	12.40
0.500"-0.748"	12"		7487023	19.37	12.40
0.748"-1.26"	12"		7487033	19.37	12.40
1.26"-2.126"	12"		7487043	22.32	14.28
3.54"-5.90"	12"		7487063	22.32	14.28



Thread Measuring Wire Set



Description	Code No.	List Price	SALE \$
• 48 wires - 16 different sizes which measure all threads from 3 - 48 threads per inch and all metric threads from 0.5mm to 6mm • Also measures ACME threads • Laminated chart included	7697300	33.27	21.29

Rectangular Gauge Block Sets

Blocks per Set	Code No.	List Price	SALE \$
81	7650010	1,354.32	866.76
	7650011	964.44	617.24



Ergonomic Pin Gauge Handles



Range	Code No.	List Price	SALE \$
0.011" - 0.060"	7697410	43.55	27.87
0.251" - 0.500"	7697412	53.04	33.95

Precision Steel Pin Gauge Sets



Plus Tolerance +0.0002"/-0	Code No.	List Price	SALE \$
190 0.061"-0.250" x 0.001" step	7697020	266.11	170.31
250 0.251"-0.500" x 0.001" step	7697030	481.45	308.13

Hardness Tester Penetrators



Description	Specifications	Code No.	List Price	SALE \$
For Brinell Hardness Tester	Ø2.5, 5, 10mm tungsten carbide ball penetrators	7640840	551.40	352.90

